Sectt. H-27—45,006—19-10-39.

(1940) Department.

SERIES.

G.O. No. 1578

Dated

[Despatch Abstract.]

Inspection bungalow - Bellary - Superintending Engineer's office - Use of a portion by the Camping officers - Approved.

C.F. 30.

PUBLIC WORKS DEPARTMENT.

Received ..... 19 . *Registered* 19



Subject.

Buildings - Bellary - Superintending Engineer's Office - Portion to be used as camping place for Public Works Department Officers - Proposals.

ENCLOSURES.
No. **One Plan.**
Spare copies .....

No. **3125 Ac/39-3.**

Station **Chepauk, Madras.**, *Dated the* **10th January** 19**40**

From (Name) **H. R. DOGRA ESQUIRE., B.Sc.,**
(Designation) **Chief Engr: P.W.D. Genl: Bldgs & Roads**

To The Secretary to the Government of Madras,
PUBLIC WORKS Department.

Sir,

There is no suitable Inspection Bungalow at Bellary for the use of camping officers. In December 1937, my predecessor proposed that Bungalow No. 64, purchased from the Military Authorities might be converted into an Inspection Bungalow. But this was not approved by Government - Vide correspondence leading to G.O.No. 250 Public Works. dated 9th February 1938.

2. Consequent on the abolition of the Bellary Circle from 1st December 1939, two rooms of the Public

Works

Works Department Office building at Bellary have fallen vacant. These rooms were used as office rooms of the Superintending Engineer and the Executive Engineer in the first floor of the building with verandahs on all sides, there are also two bath rooms attached to this, one in each corner of the verandah, as shown in the plan enclosed. The remaining rooms of the first floor and the whole of the ground floor is occupied by the Public Works Department Offices. The Chief Engineer (Irrigation) and I consider that these rooms may be set apart as camping place for officers of the Public Works Department on payment of a rent at Re. 1/- per day or part of a day inclusive of all charges. The Public Works Department Officers will have to camp frequently at Bellary when the investigation and other preliminary works connected with the Tunghabhadra Project are started. I request that this proposal may be approved by the Government.

3. In this connection, I would invite attention to G.O.No. 1467 Public Works, dated 12th June 1939 and Public Works Department Memo No. 4906-C/39., dated 30th November 1939, wherein Government approved in a similar case the use of the temporary quarters of the Second Assistant Commandant, Malabar Special Police at Malappuram, as a rest house for the camping officers of the Police Department only.

I request the same concession for the Public Works Department Officers in view of the adjoining rooms having to be used as Public Works Department Offices.

C Rajagopalachar. 11-1-40

for Chief Engineer, P.W.D

S.K.10/1

10.1.40

P. W. D.

16/6/40

Memo. No. 220. G. 40-1 Of 6.2.40.

Buildings - Bellary - S. E.'s Office - Portion to be used as camping place for P. W. D. officers - Rent -

pp. 1-2 CF From the G. E. (G. B. & R.) No. 3125. A/39-3 Of 10.1.40.

~~It has been suggested that~~ the rate of rent of Re. 1/- per day or p. 2 CF part of a day recommended by the G. E. (in respect of the two rooms in the S. E.'s Office, Bellary, proposed to be set apart as camping place for the officers of the P. W. D.) requires examination. p. 2 N. F. The rooms appear to have electric fittings; the building may have garages ~~which~~ used by the S. E. and the P. A. (~~S. E.~~) previously. The rent ~~should~~ to be charged should be based on the proportionate capital cost of the rooms and the adjoining verandahs and of the garages which will be utilised by the inspecting officers and their servants and separate charges should be levied for the electrical energy consumed by

P. A. to C. E. [illegible]

-2-

the inspecting officers. The U. S. is

requested to consider these points and

report whether the ~~proposed~~ rate of rent, ~~proposed~~

does not ~~necessarily~~ needs revision.

TM
2/2

[illegible]
5/2

To the U. S. (GBR)

[illegible]
7/2

[illegible]
3/2

C.F. 98.

Public Works Department.

Bldgs. Roads Branch. 1150-Ac

Central Buildings & Roads

APR 1940

BUILDINGS AND ROADS

MAY 1940

S/3125-Ac/39-7

1. 5-40.

I REMINDER.

To The Chief Engineer,

I ~~have the honour to invite~~ am directed to invite ~~invite~~ attention to Memo. No. 220/Gen-1 dated 6. 2. 40. and

~~to request that the reply to it may be expedited~~

request that this reminder may be returned at once with information as to—

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected, ~~and~~

~~(3) the circumstances which have caused the delay.~~

Office P.W. Secy.

Station Fort St. George.

Dated - 4. 40.

Signature. 27/4

Asst. Secy. to Govt. Designation

SUBJECT. 28/4

Buildings - Bellary - S. E.'s office - Portion to be used as Rest Shed.

REPLY.

To The Secretary to Govt. P.W.D.

S.E. 2407 SDT

The report received from the S.E. was not complete and further information has therefore been called for from him and is awaited.

The reference will be replied to on receipt of the information from the S.E.

30/4 30/4

C. Rajagopalachari 1.5.40

for Chief Engineer

B & R

6

220/40

P.W.D.

Ref: 4, 8's reply on p.5 ante.

A.R. till 30.5.40.

R.put up on 30.5.40.

P.W. DEPARTMENT.

C.F. 98

II REMINDER. B. & R. *Branch.*

To THE Chief Engineer, (B&R)

~~have the honour to invite~~
I ~~am directed to invite~~ attention to Memo. No. 220 C.40-1, dated 6.2.40 and 4.E.'s reply to
~~invite~~
under no. 31 25.4C/39-707 1.5.40 and to
~~to request that the reply to it may be expedited~~ with
request that this reminder may be returned at once with information as to—

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected, and

(3) ~~the circumstances which have caused the delay.~~

Office P.W. Sect.

Station Fort St. George.

Dated

Signature.

Under Secretary to Govt.

Designation.

SUBJECT. Buildings - Bellary - S. E.'s office - Portion to be used as rest shed.

3/25/4C/39.9.

REPLY: 8.6.40

To THE Secretary to Govt PWD

B1900

The further report called for from the S.E. is still awaited.

The reference will be replied to on receipt of the S.E.'s report.

for Chief Engineer, B&R

E

Arlon 10.7.40

DO No 2005 By [illegible]-1 LG
DNI7.6 [illegible]eo 146

My dear Langmaid,

Only - - -

no matter how pressing both the SE for
long time even tho' it is very simple & relates
the SE's own affairs - will you kindly direct the SE
to reply at once!

Yr sincerely

Bloody
Ass
Attaché

LG
1.7.40.

C.F. 32.

In reply, please quote number, date and short title.*

9

Public Works DEPARTMENT.

*Received*_____ *Registered*_____

From (Name) Sri Rao Bahadur L.Venkatakrishna Ayyar, B.A.,B.E.

(Designation) Superintending Engineer, Bezwada Circle,

Post Box_____, (Station) Bezwada.

*Telegraphic Address*_____

To

The Chief Engineer,P.W.D.
General, Buildings and Roads, Madras.

Sir, *No.* 2836 / 352-H.S, *dated* 22-2-40 / 23 19

Enclosures_____

Spare Copies_____

Buildings - Bellary - Superintending Engineer's Office - Portion to be used as camping place for Public Works Department Officers - Rent

Ref:- Endorsement No.3125-Ac/39-5 dated 12th February 1940.

The Building contains no electrical fittings at present, as it has not yet been electrified. There are a set of 3 stables and a Garage attached to the building. The latter is short and is not useable by any but small cars. The stables will be used by cars as garages. One of the tiffin rooms is likely to be used by the camping officers as Kitchen.

The accommodation available is not in excess of the space usually available in Inspection Bungalows of the II Class and the rent of Re.1/- per day as for an inspection bungalow II class will more than cover the rent for such occupation.

L.Venkatakrishna Ayyar.
22-2-1940
Superintending Engineer,
Bezwada Circle.

k.s.n.23/2.

22/2

GOVERNMENT B 3794 27 JUN 1940 Rs 3-3-4 2107 S D I T.

Office of the Chief Engineer, P.W.D.
(General, Buildings & Roads)

Endorsement No.3125 Ac/39-10, dated 26th June 1940.

Submitted to Government with reference to their Memo.No.220 C/40-1, dated 6th February 1940.

It

H-3-4 ans

It has been ascertained that the proportionate capital cost of the rooms and verandahs etc., which may be utilised by the Camping Officers is Rs.9617/- and that the daily rate of rent works out to Rs.1-9-6. In view, however, of the report in para 2 of the Superintending Engineer's letter, the rate of rent (Re.1/- per day) already proposed does not need revision.

p 9 ante

for Chief Engineer, P.W.D.

To the Secretary to Government,
Public Works Department.

S.S.26/6/40.

11

P.W.D.

Buildings- Bellary- Superintending Engineer's office – Portion to be used as Camping place for P.W.D. officers- Proposals.

pp.1-2 CF (C.220.C.40) From the C.E. (G.B.&R) No. 3125/Ac/39-3 Dt 10.1.40.

To A.S.

Please see the C.E.'s letter on pp.1-2 C.F.

The necessity for an inspection bungalow at Bellary is explained in the Collector's letter on ~~pp~~ p. 13 of G.O. No. 250 P.W., Dt 9.1.1938. The proposal to convert Bungalow No. 64 at Bellary into an inspection bungalow was not approved by Govt. mainly for the reasons that it was cheaper to convert the building into quarters for the E.E. and more economical since the inspection bungalow would not be occupied throughout the year- vide A.S.'s note on pp. 92-93 of G.O. No. 250 P.W., Dt 9.1.38.

2. The proposal now is to convert two rooms in the office of the S.E., Bellary, formerly used as office rooms of the S.E. & E.E., into a rest shed for the use of the P.W.D. officers. Apparently no other use can be found for these rooms. ~~The two~~ The C.E.'s proposals may be agreed to in this Depart

12 ✓

ment.

3. The Case may be sent to Revenue & Finance for remarks.

JB
26/1/40.

The proposal to utilize the two rooms* and the two bath rooms as a camping place for officers of the PWD may be approved. But the rent proposed to be charged, viz. Re:one per day inclusive of all charges requires examination. The rooms appear to have electric fittings. The building may have garages which were used by the S.E. and E.E. previously. The rent to be charged should be based on the proportionate capital cost of the rooms and the adjoining verandahs and of the garages which will be utilized by the inspecting officers and their servants and separate charges should be levied for the electrical energy consumed by the inspecting officers. The C.E.'s remarks may be called for on the above points

* measuring 17'×20' and 18'×20' o measuring 8'×8' each

C.A.M.I. 1/2

1/2

With reference to the orders at 'A' above, a draft memo. to the A.E. is put up.

5/2

2.2.40.

p 3-4 cf — Issued as Memo No 220 C/40-1 dt 6-2-40.

p 9-10 cf — From CE (G&B R) Draft No 3125 Rc/39-10 dt 26-6-40.

The SE states that the building has

p 9 cf — not yet been electrified and that there are a set of 3 stables and a garage. It is stated that the garage can accomodate only small cars but the stables can be used as garages. One of the Office rooms is likely to be used by the Camping Officers as kitchen. The proportionate Capital Cost

p 9 cf. — of the rooms, verandahs etc. proposed to be utilised as rest shed is reported to be Rs 9617/- and that the daily rate of rent will be Rs 1-9-

The SE further states that the accommodation

p 9 cf — available is not in excess of the space usually available in II Class Inspection Bungalows for which a fee of 8 annas per diem for a single person and 12 annas per diem for a married couple are charged. The CE therefore

Rule 4 of the rules in Vol of Manual for —

p 10 cf — considers that a fee of Re 1/- per day proposed in the case is reasonable and need not be revised. This will be a general charge whether the Camping place is occupied by a single person or by married couple as in the case of the Police Rest House at Malappuram referred to in para 3 of the CE's letter on p 2 cf. The proposal may be approved with the concurrence of Rev and Fin.

UNDER SECRETARY TO GOVERNMENT
8 - JUL 1940
REVENUE DEPT.

Through C Section
8/7/40 pkw
577

P.W. No 220 C/40-2
6.7.40

8/7/40 Rev
8/7/40 Fin

14

Rev Dept -

The proposal is apparently to use the rooms as cadjaing places for P.W.D. officers only (A on p 2 c/f). If so, this dept does not seem to be concerned. The building is a P.W.D one, not a revenue one, & does not appear to be in charge of the Rev. Dept. Please see, however, this Dept's note at pp 94-95 of G.O. 250 P.W & 9.2.35. This dept may, perhaps, suggest that the rooms should be open to other depts also, the P.W.D having either preferential or equal rights

(H)

A

S

Rev. GO. G. 1880/40-1
8.7.40

ASSISTANT SECRETARY TO GOVERNMENT
10 JUL 1940
FINANCE DEPT.

Finance CSR

The proposal of the P.W.D may be accepted in this department subject to the suggestion of Rev at A above

DEPUTY SECRETARY TO GOVERNMENT
10 JUL 1940
FINANCE DEPT.

ASSISTANT SECRETARY TO GOVERNMENT
10 JUL 1940
FINANCE DEPT.

2552 9 CSR

Chief
16.7.40

Chief
16.7.40

20.7.40.

P.W.D

Rev. 2552 9 CSR-1
20-7-40.

ASST. SECRETARY TO GOVERNMENT
C 3809
22 JUL 1940

49 16

C.F. 16.

P.W. Deptt

DRAFT FOR APPROVAL.

Date. 29/7 Initials.

SUBJECT :—

Inspection bungalow - Bellary - used as Supg Engrs' Office - Portion by the Camping officers - Approved.

When received for fair copying ..

When copied ..

When examined.. 29/7

When signed ..

When despatched.

READ AGAIN _____, dated _____ 19____

" " _____ " _____ 19____

READ *ALSO* :—

C. No. 3809C/40 From the C.E. (Cg. B&R.), No. 3125 Ae/39-3 dated 10.1. 1940 P.W.D.

" _____ " " Endt " 3125 Ae/39-10 " 26-6- 1940

" _____ " _____ " _____ " _____ 19____

Order ~~Resolution~~ Ms. No. 1578, dated 30-7- 1940.

To the proposal to allow the use of a portion of the Supg Engrs' Office, Bellary, as a camping place for officers of the P.W.D. is approved. If at any time when this part of the building is not used by P.W.D. officers, it is required by officers of other depts, it may be made available to them also.

2 Rent should be charged for occupation of the portion of the building at the rate of Re1/- (one rupee only) per day or portion of a day.

29/7

29/7

30.7

For precedent please see G.O. 1457 P.W. dt 16.7.40.

P&C (K)

To A in ¶2 C.F. + ¶3 N.F.

The C.E. (Cg. B&R.) with a plan

" A.G., Madras, thro' the Fin. deptt

" Res. deptt ✓

P&C to issue.

31.7.40

C.F.32. Very urgent. ~~Public Works~~ DEPARTMENT.

In reply, please quote number, date and short title.*

*Received*_____ *Registered*_____

From (Name) Sri Rao Bahadur L.Venkatakrishna Ayyar,B.A.,B.E.,

(Designation) Superintending Engineer,Bezwada Circle,

Post Box_____, (STATION)_____ Bezwada.

*Telegraphic Address*_____

To

The Chief Engineer,P.W.D.,
General, Buildings and Roads,
Madras.

No. 8836/ , *dated* 6-7-40 19 .

Sir,

ENCLOSURES_____

SPARE COPIES_____

Buildings Bellary Superintending Engineer's office portion to be used as camping place - for P.W.D.Officers Rent.
Your No.3125-Ac/39-11.dated 3-7-40.

In the calculations submitted by the Exec.Engineer, the cost per 1 Sq.ft of the main building is worked out taking the total cost including that of the garages, stables etc. This is now corrected taking the cost of the main building only into account and adding separately the cost of stables and tiffin room.

2. The Exec.Engineer has worked out the cost of the verandahs taking 1/2 the cost per Sq.foot arrived for the main rooms. As the rate per square foot of the main building is worked out taking the verandahs also into consideration, the capital cost of the Inspection bungalow portion including verandahs is now calculated taking the square foot rate arrived for the main building.

3. The calculations as revised in this office are enclosed herewith for favour of information.

4. The building has not been electrified up to now.

~~The~~ ~~~~

For Supdg. Engineer,
8.7.40

...als.1 Calculation sheet.

Bezwada Circle.

8.7.40

P.T.O.

B 2266
12 JUL 1940
PUBLIC WORKS DEPT.

Office of the Chief Engineer, P.W.D.
General, Buildings and Roads.

ENDORSEMENT No. 3125 Ac/39-12 dated 10th J u l y 1940.

Submitted to Government in continuation of Endorsement No. 3125 Ac/39-10 dated 26th June 1940.

Para 2 of the endorsement referred to above was based on the figures furnished by the Executive Engineer which have been corrected by the Superintending Engineer. In view of the Superintending Engineer's report, the rent at Re.1/- per mensem for each set of rooms may be approved.

for Chief Engineer, P.W.D.

To the Secretary to Government, Public Works Department with copy of Superintending Engineer's letter No. 860 W dated 29-6-40 and 1 calculation sheet.

(Enclosure)

Copy of letter No. 860 W/353.H.9 dated 29th June 1940 from the Superintending Engineer, Bezwada Circle to the Chief Engineer, P.W.D. General, Buildings and Roads.

--

Buildings - Bellary - Superintending Engineer's Office - portion to be used as camping place for P.W.D. Officers - Rent.

In continuation of this office No. 713 W dated 26-5-1940 and with reference to the letter of Executive Engineer, Bellary sent to Chief Engineer, P.W.D. direct in his No.1849 G dated 22-6-1940, I have to state that the capital cost of the portion to be used as camping place having double accommodation, each consisting of one main room, one bath room, one stable and half the verandah, the kitchen being a common one, works out to Rs. 11457/-. The annual rental value at 6% works out to Rs. 687/-. Therefore the rent will be 1-14-5 per day for the whole portion or o-15-3 for one set. This can be rounded off to 1-0-0. Hence the daily rent for 1 set of rooms excluding Electric energy charges will be Re.1/- per day.

Rules for the occupation of B Class Bungalows may be made applicable to this building.

CRS/ 11-7-40.

Name of Taluk.

Name of Work. Details for the plinth area of the portion of the Superintending Engineer's office, Bellary to be used as Camping place for P.W.D.Officers.

F. 152.

ESTIMATE FORM—Detail Measurements.

Detail of work. (1)	Number. (2)	Measurements in feet. Length. (3)	Breadth. (4)	Depth. (5)	Area or contents. (6)	Total quantity of each description of work. (7)
1. (a) Rooms.						
Main rooms.	1	19-3	23-6		452	
	1	20-3	23-6		476	
Bath rooms in the rear verandah.	2	12-3	10-9		263	
Total.					1191	or 1191 Sq.ft.
(b) Verandahs:-						
Front verandah.	1	61-0	10-9		656	
Verandahs on the sides of main rooms.	2	21-3	10-9		457	
Rear verandah.	1	25-0	10-9		269	
	1	39-6	8-6		336	
	1	45-0	10-9		484	
Total.					2202	or 2202 Sq.ft.
The plinth area of the building as per register of public buildings Bellary (Item No.82 page 107).						7876 Sq.ft.
Assuming the area of Upper floor same as ground floor, total plinth area of the ground and upper floors	2x7876					15752 Sqft.
Capital cost of main building including upper floor as per register of public buildings (48027 + 1232).					Rs	49259.
∴ Cost of 1 Sq.ft 49259/15742 = Rs. ~~3-2-0~~						Rs 3-2-0 or 3-2-0.
∴ Cost of rear verandah, rooms and bath rooms 3393 x 3-2-0 =						10221
II. Stables.						
Plinth area of stables.	2	10-9	18-9		403	or 403 Sq.ft.
Total plinth area of the building (stables, coach house and syce's quarters - Item 82-2 R.P.B.					967	Sq.ft.
and the capital cost of the whole building					Rs.1526/-	
Hence proportionate capital cost $\frac{1526 \times 403}{967}$ =					Rs.	636-

24

C.F. 152.

Name of Taluk.

Name of Work.

ESTIMATE FORM—Detail Measurements.

Detail of work. (1)	Number. (2)	Measurements in feet. Length. (3)	Breadth. (4)	Depth. (5)	Area or contents. (6)	Total quantity of each description of work. (7)
III. Tiffin Rooms.						
Capital cost of Tiffin rooms						
(as per R.P.B.Item 82-3) is Rs.1200/-						
As now existing, there is a cross wall in the room and hence it						
is to be considered as two rooms. It is now proposed to set						
apart one room to be used as a kitchen as per S E's No.253-W.,						
dated 22-2-40. Hence the cost of the room is taken as Rs.600/-						Rs 600/-
Abstract.						
I. Rooms and verandahs. 10221						
II. Stables. 636						
iii. Tiffin room. 600						
Total cost. Rs. 11457						
Annual rental value at 6% Rs. 687						
Monthly 687/12 or 57/- or 57/30 Rs.1-14-5 per day.						

R Srinivasachariar 8.7.40

For Suptg Engineer,

Bezwada Circle.

KTR 8.7.40

GS[V].8-7-40.

P.W.D

~~Revenue Work~~

Buildings – Bellary – Superintending Engineer's Office portion to be used as Camping Place for P.W.D Officers – Rent –

The main file was sent to Fin (Rent) with this dept R.O No 2101/B/40-1 dt 6-7-1940. This may be sent to them again for confirmation. ~~of the above~~.

Rent
Fin

R.O.No. 2101/B/40-1
23.7.40

Rent Dept

R 2386C
29.7.40

To AS

The main file referred to in the note above was passed on to Finance with Rwno no G.1884/40 dt 8.7.40. This may also be passed on to Finance.

4071
2299
Rwno 28082
28.7.40

4071 Fin Rwno 2386 C/40
31-7-40

Fin (R.S.II) on 30.7.40

The case was already sent to P.W.D (I) and disposed of in G.O. 1578 Fin. dt 30.7.40 (copy also sent)

for PWD

23

P.W. Deptt

Please see ✓ on p 2 C.F., the S.E's report on p 1 C.F. on the C.E's Endt on 2 C.F. The rate of rent viz Re 1 per day or part a day is for the occupation of one set of rooms.

A draft Memo is noted for approval.

It may issue after perusal by Finance.

13/8 MDV 12/8

12/8

P.W. no. 4071 C/40-9
12-8-40

ASSISTANT SECRETARY TO GOVERNMENT
13 AUG 1940
FINANCE DEPT.

29586 CSR

Finance CSR

May be accepted returned to P.W.D.

14.8.40 14.8.40

Fin no 29586 CSR/1
16.8.40

C4296
16 AUG 1940
PUBLIC WORKS DEPT.

24

P.W. Deptt.

Memo no. 4071 C/40-2 dt 19.8.40

Buildings - Bellary - Subg Engrs' office use of a portion by camping officers - Rent - revision

Ref cl from the C.E. (Lg. B & R) no. Endt 3125 AC/39-12 dt 10.7.40

The rate of rent of Re 1/- fixed in para 2 of go no. 1578 P.W. dt 30.7.40 is for the occupation of each of the two sets of rooms set apart in the building as for camping place for officers

C.F

p 16 of (H)

To

The C.E. (Lg. B & R)

" A.G., Madras, Through Fin

" Revs.

C.F. 32 (a).

Public Works Department

From (Name) A.G.G. BARCLAY ESQUIRE., A.M.I.C.E.,
Designation Chief Engr: Bldgs & Roads.
Station Chepauk, Madras.

Received ..... Registered 11 FEB 1942
646

To
The Accountant General,
Madras.

Enclosures:

No. 275 Ae/42-C.R., dated 10th February 1942.

Sir,

Inspection Bungalow, Bellary, Superintending Engineer's Office - Use of a portion by the Camping Officers - Reference - Your Letter No. W-4-Bel-214., dated the 12th January 1942.

****

The term "day" occurring in G.O.No. MS. 1578 P.W., dated 30th July 1940 should be taken to mean a period of 24 hours reckoned from the time of occupation on the analogy of the rules for the occupation of Inspection Bungalows found in Appendix VI to Madras Public Works Department Code.

FOR CHIEF ENGINEER, P.W.D.

o the Secretary to Government, P.W.D.
h a copy of the Accountant General's letter
referred to.

Copy

27 2 26

Copy of letter from the Accountant General, Madras, No. W-4-Bel-214., dated 12th January 1942 :-

Inspection Bungalow, Bellary - Superintending Engineer's Office - use of a portion by camping officers.

I have the honour to invite a reference to G.O.No. MS. 1578 P.W., dated the 30th July 1940, on the subject indicated above treating a portion of the building as a camping place for officers and fixing rent therefor at Re. 1/- per day or portion of a day and to enquire whether the term "day" referred to therein should be taken to mean a calendar day or a period of 24 hours reckoned from the time of occupation of the quarters, quoting orders if any in support thereof.

****

S.K.